





RoHS

包装图



胶带 ADHESIVE TAPE



Note 注解:

- Put Housing in a PE bag, PE bag gauge for: 2*1(13*17) 2*3(18.5*20.5) 2*4(20.5*26) 2*5(22.5*30.5) SATA(31*34), Packing detail see the table below
将 Housing 放入PE袋内, PE袋规为: 胶袋规格: 2*1(13*17) 2*3(18.5*20.5) 2*4(20.5*26) 2*5(22.5*30.5) SATA(31*34) 详细包装见下表
- Put PE bag packed products in specifications of 470*267*279 mm cartons, Packing detail see the table below
将装好产品的PE袋放入规格为 470*267*279mm 的纸箱内, 详细包装见下表
- Label depends on customer request, carton opening joint with transparent tape
标签依客户要求而定, 纸箱开口处用透明胶带贴合.
- Carton material 纸箱材质 :K=K; Carton Thickness 纸箱厚度: 6~7mm

Pin位	袋/PCS	箱/袋	箱 /PCS
02	1000	100	100k
03	1000	90	90k
04	1000	75	75k
05	1000	75	75k
06	1000	70	70k
07	1000	60	60K
08	1000	50	50k
09	1000	45	45k
10	1000	40	40k
11	1000	40	40k
12	1000	35	35k
13	1000	35	35k
14	1000	30	30k
15	1000	25	25k
16	1000	25	25k

GENERAL TOLERANCE

.X ±0.35

.XX ±0.25

.XXX ±0.15

X° ±0.2°


GYA
Connectors东莞市国亚电子有限公司
Dong Guan Guo Ya Connectors co., ltd.

APPROVAL

CHECK

DRAWN

DATE



Yangzhengguo

Yangzhengyi

Lvtiansheng

2016/08/26

PART NO. 9020HR-XX-N0XX
9020HV-XX-N0XX

TITLE:

2.00mm Crimp Style Connectors

UNIT	SCALE	SHEET	REV	NUMBER
mm	1:1	1/1	A0	A-022

DATE


REV

ECN NO.

DESCRIPTION

MODIFY

APPROVAL



Note注解:

1.Quantity 数量:

10K PCS/REEL 一卷10K/PCS

10 REEL/BOX 一箱10卷

100K PCS/BOX 一箱100K/PCS

2.Each reel and outer box must be labeled and Eco-Label Respectively labeled

每盘和外箱都必须有标签及环保标签分别标示


3.Terminal winding direction as shown

端子缠绕方向如左图所示



4.There shall be no dirt such as deformation phenomenon, Mantissa box fillers must be used

每箱不可有脏污, 变形现象, 尾数箱必须用填充物

5.Carton material : K=K, Carton thickness:6±1mm
纸箱材质:K=K, 纸箱厚度:6±1mm




卷装方式
Package way



						GENERAL TOLERANCE		GYA Connectors 东莞市国亚电子有限公司 Dong Guan Guo Ya Connectors co., ltd.				PART NO.				
						.X	±0.30					9020TR—XSN				
						.XX	±0.20					TITLE: 2.00mm Terminal Packing				
						.XXX	±0.10									
						X.°	±0.2°									
DATE	REV	ECN NO.	DESCRIPTION	MODIFY	APPROVAL	视 角 		APPROVAL	CHECK	DRAWN	DATE	UNIT	SCALE	SHEET	REV	NUMBER
								Yangzhengguo	Yangzhengyi	Lvtiansheng	2016/08/26	mm	1:1	1/1	A0	A—014

RoHS

包装图



Note 注解:

1.Quantity 数量:

10KPCS/REEL 一卷10K/PCS

9REEL/BOX 一箱9卷




90KPCS/BOX 一箱 90K/PCS

2.Each reel and outer box must be labeled and
Eco-Label Respectively labeled

每盘和外箱都必须有标签及环保标签分别标示

3.Terminal winding direction as shown
端子缠绕方向如左图所示4.There shall be no dirt such as deformation phenomenon,
Mantissa box fillers must be used

每箱不可有脏污, 变形现象, 尾数箱必须用填充物

5.Cartan material: K=K, Cartan thickness: $6\pm 1\text{mm}$
纸箱材质: K=K, 纸箱厚度: $6\pm 1\text{mm}$ 卷装方式
Package way

						GENERAL TOLERANCE		GYA 东莞市国亚电子有限公司 Connectors Dong Guan Guo Ya Connectors co., ltd.				PART NO. 9020TV-XSN			
						.X	± 0.30					TITLE: 2.00mm Terminal Packing			
						.XX	± 0.20	APPROVAL		CHECK	DRAWN	DATE	UNIT	SCALE	SHEET
						.XXX	± 0.10	Yangzhengguo		Yangzhengyi	Lvtiansheng	2016/08/26	mm	1:1	1/1
						X.	$\pm 0.2^\circ$	视角						REV	NUMBER
DATE	REV	ECN NO.	DESCRIPTION	MODIFY	APPROVAL									A0	A-014